



Marine

# SAFETY DATA SHEET

Product name: GulfSea Synth Compressor Oil 46, 68 Page: 1/9  
Supersedes date: 2019-11-18 Revision: 2019-11-18  
Product No.: SDS-ID: HK-EN/1.0

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product name: GulfSea Synth Compressor Oil 46, 68

Container size: -

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Application: Compressor oil

### 1.3. Details of the supplier of the safety data sheet

Supplier: Gulf Marine Pte. Ltd.  
37 Tuas Road,  
Singapore 638503  
Tel: +65 6592 0120  
Email: sds@gulf-marine.com

### 1.4. Emergency telephone number

Emergency telephone: Tel: +65 6592 0120

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

GHS: Not classified.

### 2.2. Label elements

None.

### 2.3. Other hazards

PBT/vPvB: Not applicable.

Other: Prolonged or repeated contact with skin may cause redness, itching, irritation, eczema, skin cracking and oil acne. The product contains a small amount of sensitising substance which may provoke an allergic reaction among sensitive individuals in contact with skin. The harmful effects may increase in used oil.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

Mineral oil and additives (DMSO-content < 3%)

No classified ingredients, or those having occupational exposure limits, present above the levels of disclosure.

Reference: The full text for all hazard statements is displayed in section 16.



Marine

# SAFETY DATA SHEET

Product name:	GulfSea Synth Compressor Oil 46, 68	Page:	2/9
Supersedes date:	2019-11-18	Revision:	2019-11-18
Product No.:		SDS-ID:	HK-EN/1.0

---

## SECTION 4: FIRST AID MEASURES

### **4.1. Description of first aid measures**

Inhalation: Move into fresh air and keep at rest. In case of persistent throat irritation or coughing: Seek medical attention and bring these instructions.

Skin contact: Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Seek medical attention and bring along these instructions.

Ingestion: Rinse mouth with water. Drink a few glasses of water or milk. Do not induce vomiting. Get medical attention.

### **4.2. Most important symptoms and effects, both acute and delayed**

Symptoms/effects: Defatting, drying and cracking of skin.

### **4.3. Indication of any immediate medical attention and special treatment needed**

Medical attention/treatments: Treat symptomatically. If swallowed, especially in large quantities: Get medical attention.

## SECTION 5: FIREFIGHTING MEASURES

### **5.1. Extinguishing media**

Extinguishing media: Extinguish with foam, carbon dioxide, dry powder or water fog. Cool containers exposed to heat with water spray and remove container, if no risk is involved.

Do not use water jet as an extinguisher, as this will spread the fire.

### **5.2. Special hazards arising from the substance or mixture**

Specific hazards: When heated and in case of fire, harmful vapours/gases may be formed. Fire in closed areas should only be extinguished by trained personnel.

### **5.3. Advice for firefighters**

Protective equipment for fire-fighters: Evacuate personnel from immediate vicinity. Use air-supplied respirator during fire fighting. Wear full protective clothing.

---



Marine

# SAFETY DATA SHEET

Product name:	GulfSea Synth Compressor Oil 46, 68	Page:	3/9
Supersedes date:	2019-11-18	Revision:	2019-11-18
Product No.:		SDS-ID:	HK-EN/1.0

---

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### **6.1. Personal precautions, protective equipment and emergency procedures**

Personal precautions: If leakage cannot be stopped, evacuate area. Mark the spillage. Avoid inhalation of oil mist and contact with skin and eyes. Keep public away from danger area. In case of spills, beware of slippery floors and surfaces.

Protective equipment: Put on protective equipment before entering danger area.

### **6.2. Environmental precautions**

Environmental precautions: Prevent spillage entering a watercourse or sewer, contaminating soil or vegetation. If this is not possible notify police and appropriate authorities immediately.

### **6.3. Methods and material for containment and cleaning up**

Methods for cleaning up: Stop leak if possible without risk. Absorb with sand or other inert absorbent.  
Large Spillages: Stop leak if possible without risk.

### **6.4. Reference to other sections**

Reference: For personal protection, see section 8. For waste disposal, see section 13.

## SECTION 7: HANDLING AND STORAGE

### **7.1. Precautions for safe handling**

Safe handling advice: Observe good chemical hygiene practices. Avoid inhalation of oil mist and contact with skin and eyes. Avoid prolonged and repeated contact with oil, particularly used oil. Wash hands before breaks and before smoking, eating or drinking.

Technical measures: Use work methods which minimise oil mist production. Do not smoke or use open fire or other sources of ignition.

Technical precautions: When working with heated oil, mechanical ventilation may be required.

### **7.2. Conditions for safe storage, including any incompatibilities**

Technical measures for safe storage: Store in tightly closed original container in a well-ventilated place. Containers, which are opened, must be carefully resealed and kept upright to prevent leakage. Ensure that the container is undamaged and has a proper label. Use appropriate containment to avoid environmental contamination.

Storage conditions: Store in tightly closed original container in a well-ventilated place. Protect from heat and direct sunlight.

### **7.3. Specific end use(s)**

Specific use(s): Lubricant.

---



Marine

# SAFETY DATA SHEET

Product name: GulfSea Synth Compressor Oil 46, 68 Page: 4/9  
 Supersedes date: 2019-11-18 Revision: 2019-11-18  
 Product No.: SDS-ID: HK-EN/1.0

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

Occupational exposure limits:

<u>CAS-No.:</u>	<u>Chemical name:</u>	<u>As:</u>	<u>Exposure limits:</u>	<u>Type:</u>	<u>Notes:</u>	<u>References:</u>
-	Oil mist, -mineral	-	5 mg/m3	PEL (Long Term)	-	
		-	10 mg/m3	PEL (Short Term)	-	

Notes: SG: Guidelines on prevention and control of chemical hazard.

DNEL/PNEC: DNEL: Not available.  
 PNEC: Not available.

### 8.2. Exposure controls

Engineering measures: Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of vapours and oil mist.

Respiratory equipment: In case of inadequate ventilation use suitable respirator. Use respiratory equipment with gas filter, type A1. If the product is heated under manual handling, use suitable mask with filter A1P2 or A2P2.

Hand protection: Nitrile gloves are recommended. If signs of wear and tear are noticed then the gloves should be replaced. The most suitable glove must be chosen in collaboration with the gloves supplier, who can inform about the breakthrough time of the glove material.

Eye protection: Wear approved, tight fitting safety glasses where splashing is probable.

Skin protection: Wear appropriate clothing to prevent repeated or prolonged skin contact.

Hygiene measures: Wash hands after handling. Observe good chemical hygiene practices. Wash contaminated clothing before reuse. When using do not eat, drink or smoke. Always remove oil with soap and water or skin cleaning agent, never use organic solvents. Do not use oil-contaminated clothing or shoes, and do not put rags moistened with oil into pockets.



Marine

# SAFETY DATA SHEET

Product name: GulfSea Synth Compressor Oil 46, 68  
Supersedes date: 2019-11-18  
Product No.:

Page: 5/9  
Revision: 2019-11-18  
SDS-ID: HK-EN/1.0

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Appearance: Clear liquid.  
Colour: Light yellow.  
Odour: Mild. Petroleum.  
Odour threshold: Not available.  
pH: Not applicable.  
Melting point / freezing point: Not available.  
Boiling point: Not available.  
Flash point: 270 °C; ASTM D-92  
Evaporation rate: Not available.  
Flammability (solid, gas): Explosion limits: Not applicable.  
Not available. <0.1 mmHg @ 20 °C  
Vapour pressure: >1  
Vapour density: ~ 0.83  
Relative density: Insoluble in water.  
Solubility: Not available.  
Partition coefficient (n-octanol/water):  
Auto-ignition temperature (°C): Not available.  
Decomposition temperature (°C): Not available.  
Viscosity: 44.1 - 64.9 mm<sup>2</sup>/s (40 °C)  
Explosive properties: Not applicable.  
Oxidising properties: Not applicable.

### 9.2. Other information

Pour point (°C): -42°C



Marine

# SAFETY DATA SHEET

Product name:	GulfSea Synth Compressor Oil 46, 68	Page:	6/9
Supersedes date:	2019-11-18	Revision:	2019-11-18
Product No.:		SDS-ID:	HK-EN/1.0

---

## SECTION 10: STABILITY AND REACTIVITY

### **10.1. Reactivity**

Reactivity: Not reactive.

### **10.2. Chemical stability**

Stability: Stable under normal temperature conditions.

### **10.3. Possibility of hazardous reactions**

Hazardous reactions: None under normal conditions.

### **10.4. Conditions to avoid**

Conditions/materials to avoid: Heat, sparks, flames.

### **10.5. Incompatible materials**

Incompatible materials: Strong oxidizing substances.

### **10.6. Hazardous decomposition products**

Hazardous decomposition products: Hazardous polymerisation will not occur.

---



Marine

# SAFETY DATA SHEET

Product name: GulfSea Synth Compressor Oil 46, 68 Page: 7/9  
Supersedes date: 2019-11-18 Revision: 2019-11-18  
Product No.: SDS-ID: HK-EN/1.0

---

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

Acute Toxicity (Oral): Based on available data, the classification criteria are not met.

Acute Toxicity (Dermal): Based on available data, the classification criteria are not met.

Acute Toxicity (Inhalation): Based on available data, the classification criteria are not met.

Skin Corrosion/Irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive Toxicity: Based on available data, the classification criteria are not met.

STOT - Single exposure: Based on available data, the classification criteria are not met.

STOT - Repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

Inhalation: Inhalation of oil mist or vapours formed during heating of the product may irritate the respiratory system and provoke throat irritation and coughing.

Skin contact: Prolonged or repeated contact with used oil may cause serious skin diseases, such as dermatitis.

Eye contact: May cause temporary eye irritation.

Ingestion: Low order of acute toxicity, but aspiration following ingestion and vomiting may cause severe and potentially fatal chemical pneumonitis.

Specific effects: The product contains a small amount of sensitising substance which may provoke an allergic reaction among sensitive individuals in contact with skin. Used oil may contain harmful contaminants.

---



# SAFETY DATA SHEET

Product name: GulfSea Synth Compressor Oil 46, 68 Page: 8/9  
Supersedes date: 2019-11-18 Revision: 2019-11-18  
Product No.: SDS-ID: HK-EN/1.0

---

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1.Toxicity

Ecotoxicity: Not classified as dangerous to the environment. Expected LC/EC50 value >100 mg/l

### 12.2.Persistence and degradability

Degradability: No data available.

### 12.3. Bioaccumulative potential

Bioaccumulative potential: Bioaccumulation: Is not expected to be bioaccumulable.

### 12.4. Mobility in soil

Mobility: Not known.

### 12.5. Results of PBT and vPvB assessment

PBT/vPvB: No data available.

### 12.6. Other adverse effects

Other adverse effects: Not known.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

Contaminated packaging: Disposal through approved facilities is recommended.

## SECTION 14: TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA).

### 14.1. UN number

UN-No: Not regulated.

### 14.2. UN proper shipping name

Proper Shipping Name: Not regulated.

### 14.3. Transport hazard class(es)

Class: Not regulated.

### 14.4.Packing group

PG: Not regulated.

### 14.5.Environmental hazards

Marine pollutant: Not regulated.

Environmentally Hazardous Substance: Not regulated.

### 14.6.Special precautions for user

Special precautions: Not regulated.

### 14.7.Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Transport in bulk: Not regulated.

---





Marine

## SAFETY DATA SHEET

Product name:	GulfSea Synth Compressor Oil 46, 68	Page:	9/9
Supersedes date:	2019-11-18	Revision:	2019-11-18
Product No.:		SDS-ID:	HK-EN/1.0

---

### SECTION 15: REGULATORY INFORMATION

#### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

National regulation: Singapore Standard SS 586: Part 2 : 2014; Globally harmonised system of classification and labelling of chemicals - Singapore's adaptations. Singapore Standard SS 586: Part 3 : 2014; Preparation of safety data sheets (SDS). Guidelines on prevention and control of chemical hazard.

### SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

Handling of used oils:

Protect health - avoid prolonged and repeated skin contact. Wash with soap and water. Protect the environment - do not pollute drains, water courses or the soil. Contact your local authority for any used oil disposal instructions.

---

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature.

---